

# Magnum®



# Magnum®





Logix™









Flow Rates (Valve Only)

|                     |                          |                                 |
|---------------------|--------------------------|---------------------------------|
| @15 psi (1.03 bar)  |                          | 76 gpm (2.8 m <sup>3</sup> /h)  |
| @ 25 psi (1.72 bar) |                          | 89 gpm (20.5 m <sup>3</sup> /h) |
|                     |                          | Cv = 19.5 (Kv = 1.9)            |
|                     |                          | Cv = 17.8 (Kv = 1.7)            |
|                     |                          |                                 |
| 1/2"                | 4" 8UN                   |                                 |
| 1/2"                | 2" NF                    |                                 |
|                     | 3/4"                     |                                 |
| *                   | 1-1/2"                   |                                 |
|                     | 1"                       |                                 |
|                     |                          |                                 |
| *                   | 5 - 40 gpm               |                                 |
|                     |                          |                                 |
| 1/2"                |                          |                                 |
| O                   |                          |                                 |
|                     | 21 24 30 36              |                                 |
|                     | 2 bar – 6.9 bar          |                                 |
|                     | (2° – 38°C) 120°F (49°C) |                                 |

## - Magnum







**1-1/2    Magnum CV**

**2    Magnum IT**

